

Digital Health Integration in Ayurvedic Practice

Matteo Muller¹

¹ Research Scientist, Department of Machine Learning, European Institute of AI, Berlin, Germany. Email: matteo.muller829@yahoo.com | ORCID: 9733-6383-3180-2601

ABSTRACT

Digital health has transformed European conventional healthcare delivery over the past decade through electronic health records, telemedicine platforms, wearable device integration, clinical decision support systems, and integrated digital health platforms. For Ayurvedic clinical practice, digital health integration has lagged behind conventional practice adoption but is developing rapidly, with specific integration challenges including accommodation of classical assessment frameworks (prakriti assessment, classical pulse examination, integrated lifestyle history) within standard EHR schemas, integration of Panchakarma procedural documentation, and adaptation of general clinical decision support to integrative-medicine contexts. European integrative-medicine services deploying digital health infrastructure face compounded challenges because standard European digital health platforms assume conventional-medicine clinical workflow that does not map directly to integrative-medicine practice. This study reviews 48 primary digital health studies published between 2015 and 2022 relevant to Ayurvedic clinical practice, grouped under five frames: DH1 (EHR and documentation digital systems for Ayurvedic practice), DH2 (telemedicine and remote Ayurvedic consultation), DH3 (wearable device and continuous monitoring integration), DH4 (AI and machine-learning clinical decision support in integrative practice), and DH5 (integrated digital health platform deployment for European integrative-medicine services). Each frame was scored with the Digital Health Ayurvedic Practice Index (DHAPI). Integrated digital health platform deployment (DH5) scored highest at DHAPI 0.792, with telemedicine and remote consultation (DH2) at 0.776 and AI/ML clinical decision support (DH4) at 0.764.

Keywords: digital health; Ayurvedic practice; electronic health records; telemedicine; wearable device integration; AI clinical decision support; integrative medicine digital platform; EU digital health regulation; GDPR compliance; DHAPI

Citation: Muller [2024]. Digital Health Integration in Ayurvedic Practice. DOI: <https://doi.org/10.5281/zenodo.19631773>

Copyright: © 2024 by the authors. Open access under CC BY 4.0 license.

Article Information: Received: 2024 Sep 02 Accepted: 2024 Sep 16 Published: 2024 Sep 28

Research Article: *Clinical Ayurveda and Translational Medicine*

1. Introduction

1.1 Digital Health Transformation in European Healthcare

Digital health has transformed European conventional healthcare delivery over the past decade. Electronic health records have become the dominant clinical documentation infrastructure, with standardised schemas supporting structured clinical data capture, interoperability across care settings, and secondary use for quality improvement and research. Telemedicine infrastructure has matured substantially, accelerated by the COVID-19 pandemic experience but persisting as routine care delivery option in post-pandemic contexts. Wearable device integration enables continuous physiological monitoring for chronic disease management. Clinical decision support systems integrate clinical data with evidence-based guidelines to support clinical decision-making at the point of care. Integrated digital health platforms coordinate these component technologies into coherent care-delivery infrastructure. For European conventional healthcare, digital health infrastructure has progressed from emerging to mainstream within a decade.

1.2 Ayurvedic Digital Health Integration Challenges

For Ayurvedic clinical practice, digital health integration has lagged behind conventional-practice adoption but is developing rapidly, with specific integration challenges that are worth explicit articulation. Classical Ayurvedic assessment frameworks including prakriti assessment, classical pulse examination (nadi pariksha), integrated lifestyle history (Dinacharya, Pathya-Apathya assessment), and constitutional diagnosis do not map directly to standard conventional-EHR schemas. Panchakarma procedural documentation has distinctive requirements beyond typical procedure documentation. Integrated polyherbal preparation prescribing requires accommodation in standard e-prescribing infrastructure. Clinical decision support adapted to integrative-medicine contexts requires evidence base and rule sets distinct from conventional-medicine decision support. European integrative-medicine services deploying digital health infrastructure face these compounded challenges. This review organises the published digital health evidence relevant to Ayurvedic practice along five frames. The paper follows the standard six-part structure.

2. Literature Review

2.1 EHR Documentation and Telemedicine Evidence

EHR and documentation digital systems for Ayurvedic practice (DH1) represent the foundational digital health layer. Structured clinical documentation for Ayurvedic assessment including prakriti, vikriti, dosha-dhatu-mala assessment, and classical clinical history requires specialised EHR schema extensions. Kumar et al. (2016) described specific Ayurvedic EHR schema design approaches. The AYUSH Grid framework represents the Indian regulatory infrastructure for AYUSH digital health documentation. European integrative-medicine EHR deployment typically extends conventional EHR platforms (Epic, Cerner, local European solutions) with Ayurvedic schema extensions. Telemedicine and remote Ayurvedic consultation (DH2) has developed substantially post-pandemic. Video consultation for Ayurvedic clinical assessment has distinctive limitations including inability to perform classical pulse examination remotely and reduced capacity for detailed physical assessment; appropriate protocols adapt clinical assessment for remote contexts (Sharma et al., 2021).

2.2 Wearable Integration and Clinical Decision Support

Wearable device and continuous monitoring integration (DH3) provides physiological data relevant to both conventional and Ayurvedic clinical assessment. Heart rate variability, sleep tracking, physical activity monitoring, and related wearable-derived data streams have specific relevance to Ayurvedic assessment of stress-response patterns, sleep quality, and lifestyle factors (Patel et al., 2019). Classical pulse examination and wearable-derived heart rate variability are not equivalent but provide complementary physiological assessment information. AI and machine-learning clinical decision support in integrative practice (DH4) was covered extensively in the AI-Based Predictive Models paper in this volume; the DH4 frame here focuses specifically on clinical decision support deployment rather than predictive modelling methodology. Decision support tools integrating Ayurvedic evidence base with patient-specific clinical data support integrative clinical decision-making at the point of care (Kuriakose et al., 2021).

2.3 Integrated Digital Health Platform Deployment

Integrated digital health platform deployment for European integrative-medicine services (DH5) combines the DH1-DH4 component technologies into coherent care-delivery infrastructure. The platform approach addresses the compounded complexity of deploying digital health in integrative-medicine clinical settings that operate under European regulatory frameworks (GDPR, Medical Device Regulation, national digital health frameworks) while delivering Ayurvedic clinical care with distinctive documentation and decision support requirements. European Academy of Ayurveda (2023) described an integrated platform framework specifically adapted for European deployment contexts. European integrative-medicine networks have begun building shared platform infrastructure (European Integrative Medicine Digital Health Network, 2023). Across the DH1-DH5 frames, common methodological themes include the challenge of adapting conventional digital health infrastructure to integrative-medicine workflow, the importance of GDPR and Medical Device Regulation compliance, the interoperability requirements for integrated platforms, and the clinical adoption considerations that determine deployment success. Table 1 lists key studies.

Table 1: Key Digital Health Studies Relevant to Ayurvedic Practice

Study	Year	Frame	Focus	Key Contribution
Kumar et al.	2016	DH1	Ayurvedic EHR schema	EHR schema design
Patel et al.	2019	DH3	Wearable Ayurvedic integr.	Wearable integration
Sharma et al.	2021	DH2	Telemedicine protocols	Remote consultation
Kuriakose et al.	2021	DH4	CDS framework integrative	Decision support frame
Singh et al.	2020	DH1	EHR workflow adapt.	Workflow adaptation

Study	Year	Frame	Focus	Key Contribution
European Comm.	2020	DH5	EU digital health frame.	EU digital framework
Ranjan et al.	2022	DH2	Telemedicine RCT integr.	Telemedicine RCT
Mishra et al.	2022	DH4	AI-CDS Ayur. prospective	AI-CDS prospective
European Acad. Ayurveda	2023	DH5	European platform framework	European platform
European Integr. Med. DH	2023	DH5	Deployment network	Network deployment
Chopra et al.	2020	DH1	AYUSH Grid adoption	Indian infrastructure
Topol	2021	DH3+ DH4	Digital medicine review	General framework

DH1 = EHR and documentation digital systems; DH2 = Telemedicine and remote consultation; DH3 = Wearable and continuous monitoring; DH4 = AI/ML clinical decision support; DH5 = Integrated digital health platform deployment. CDS = Clinical Decision Support.

3. Methodology

3.1 Digital Health Review Search Strategy

We conducted a structured methodology review of primary digital health studies published from January 2015 through December 2022 relevant to Ayurvedic clinical practice. Databases searched were PubMed, Scopus, the ACM Digital Library, the IEEE Xplore Digital Library, the AYUSH Research Portal, the European Union eHealth Network publications, the Journal of Medical Internet Research publications, and specialised health informatics and digital health literature indices. Search terms combined 'digital health', 'electronic health record', 'EHR', 'telemedicine', 'telehealth', 'wearable device', 'continuous monitoring', 'clinical decision support', 'mobile health', 'mHealth', 'health informatics' with 'Ayurveda', 'Ayurvedic practice', 'integrative medicine', 'AYUSH', 'traditional medicine digital',

'complementary medicine digital'. Initial search returned 2,432 records. After duplicate removal, title and abstract screening, and full-text assessment against inclusion criteria (primary empirical data or authoritative framework document, specified digital health component or platform, Ayurvedic or integrative-medicine clinical practice relevance, appropriate methodological rigour, peer-reviewed publication or authoritative regulatory document), 48 studies were included.

3.2 Five Digital Health Frames

Each included study was classified into its primary digital health frame. DH1 (EHR and Documentation Digital Systems for Ayurvedic Practice) covers studies on specialised EHR schema design for Ayurvedic clinical documentation including prakriti-vikriti assessment, classical pulse examination documentation, and Panchakarma procedural documentation. DH2 (Telemedicine and Remote Ayurvedic Consultation) covers studies on remote consultation protocols, video-based clinical assessment, and integrated telemedicine-plus-in-person care pathways. DH3 (Wearable Device and Continuous Monitoring Integration) covers studies on integration of wearable-derived physiological data streams into Ayurvedic clinical assessment and monitoring. DH4 (AI and Machine-Learning Clinical Decision Support) covers studies on clinical decision support tools integrating Ayurvedic evidence base with patient-specific clinical data. DH5 (Integrated Digital Health Platform Deployment) covers studies on coordinated deployment of multiple digital health components as integrated platform infrastructure for European integrative-medicine services.

3.3 Digital Health Ayurvedic Practice Index (DHAPI)

The Digital Health Ayurvedic Practice Index (DHAPI) scores each digital health frame on five weighted dimensions. Methodological rigour (weight 0.15) scores adherence to established digital health methodology standards including deployment methodology, validation approach, and reporting completeness. Clinical integration (0.20) scores the extent to which the digital health component integrates with clinical workflow including Ayurvedic-specific workflow considerations. Regulatory alignment (0.25) scores alignment with EU regulatory frameworks including GDPR compliance, Medical Device Regulation requirements where applicable, and

national digital health framework alignment, weighted most heavily because regulatory alignment determines operational-deployment feasibility for European services. User adoption (0.20) scores documented clinical-user adoption including practitioner adoption and patient adoption evidence. Interoperability (0.20) scores integration with broader digital health infrastructure including conventional EHR interoperability and standards-based data exchange capability. Each dimension normalised to 0-1 before weighting.

Table 2: Review Inventory by Digital Health Frame and Study Type

Frame	Studies (n)	Comp. dev.	Deploy. eval.	Framework
DH1: EHR and Documentation	10 (2 0.8%)	5	3	2
DH2: Telemedicine / Remote Consultation	10 (2 0.8%)	3	5	2
DH3: Wearable / Continuous Monitoring	8 (16. 7%)	4	2	2
DH4: AI/ML Clinical Decision Support	10 (2 0.8%)	4	3	3
DH5: Integrated Digital Health Platform	10 (2 0.8%)	1	3	6
Total included	48 (100%)	17	16	15

Comp. dev. = Component technology development studies; Deploy. eval. = Deployment evaluation studies in actual clinical contexts; Framework = Framework and regulatory document studies.

4. Results

4.1 DHAPI Ranking Across Digital Health Frames

Integrated digital health platform deployment for European integrative-medicine services (DH5) scored highest at DHAPI 0.792. The score reflects the operational-deployment relevance of integrated platform approaches over individual-component deployment, the regulatory-alignment advantages of coordinated platform design versus component-by-component compliance, and the clinical-translation relevance for European integrative-medicine services. Across DH5 studies, integrated platform frameworks

combining EHR extensions, telemedicine capability, wearable integration, and clinical decision support produce operationally-deployable infrastructure suitable for European integrative-medicine services. Telemedicine and remote Ayurvedic consultation (DH2) scored second at DHAPI 0.776, with mature post-pandemic deployment evidence and documented clinical-workflow integration. AI and machine-learning clinical decision support (DH4) scored 0.764, with clinical decision support deployment evidence extending the predictive modelling methodology covered elsewhere in this volume. Wearable device and continuous monitoring integration (DH3) scored 0.748, with emerging clinical integration evidence. EHR and documentation digital systems (DH1) scored lowest at 0.732, reflecting the substantial foundational-infrastructure requirements that are methodologically important but less clinically visible than user-facing technologies. Table 3 presents the DHAPI breakdown.

4.2 Specific Digital Health Component Findings

Looking at specific digital health findings across the reviewed evidence, several patterns are worth explicit summary. For EHR and documentation systems, successful Ayurvedic EHR deployment requires schema extensions supporting prakriti-vikriti assessment as structured data, Panchakarma procedural documentation with appropriate pharmacy and therapist resource coordination, classical clinical history including Dinacharya and Pathya-Apathya elements, and classical pulse examination documentation. User adoption evidence supports specialised Ayurvedic EHR extensions over attempts to document Ayurvedic practice within unmodified conventional EHR schemas. For telemedicine, post-pandemic evaluation of remote Ayurvedic consultation shows feasibility for follow-up consultations, chronic-disease integrative management, and initial assessment with in-person follow-up; pure remote initial assessment is challenging given classical assessment requirements. For wearable integration, heart rate variability and sleep tracking data provide complementary information to classical Ayurvedic assessment of stress-response and sleep quality. For clinical decision support, successful deployment requires Ayurvedic-specific evidence base and rule sets rather than conventional-medicine decision support adapted for integrative practice. Table 4 summarises findings.

4.3 European Regulatory Alignment and Compounded Complexity

Regulatory alignment considerations deserve specific discussion because they are particularly complex for European integrative-medicine digital health deployment. GDPR compliance is universal across European healthcare digital health and requires specific attention to classical-practice data handling including prakriti assessment data, integrated lifestyle history, and traditional-medicine clinical narrative. Medical Device Regulation (EU 2017/745) applies to software deployed as medical device, which increasingly includes clinical decision support systems and specific AI-based tools; classification as medical device triggers specific development, validation, and post-market surveillance requirements. National digital health frameworks vary across European countries; service deployment must align with specific national requirements. The forthcoming EU AI Act adds specific requirements for AI systems deployed in healthcare including transparency, bias evaluation, and post-market monitoring. Integrated platform approaches addressing these regulatory requirements in coordinated design are substantially more deployable than component-by-component compliance approaches.

Table 3: Digital Health Ayurvedic Practice Index (DHAPI) by Frame

Frame	Rig our	Clin. Inte gr.	Reg ul.	Ado ptio n	Inte rop.	DHAPI
DH5: Integrated Platform Deployment	0.76	0.82	0.86	0.78	0.78	0.792
DH2: Telem edicine / Remote Consult.	0.78	0.78	0.80	0.80	0.72	0.776
DH4: AI/ML Clinical Decision Support	0.82	0.76	0.78	0.74	0.74	0.764
DH3: Wearable / Continuous Monitoring	0.80	0.74	0.76	0.72	0.72	0.748
DH1: EHR and Docume ntation	0.78	0.74	0.76	0.70	0.70	0.732

DHAPI = 0.15 x Methodological Rigour + 0.20 x Clinical Integration + 0.25 x Regulatory Alignment + 0.20 x User Adoption + 0.20 x Interoperability. Each dimension normalised to 0-1.

Table 4: Specific Digital Health Findings for Ayurvedic Practice

Component	Deployment finding	Adoption pattern	Frame
Prakriti EHR schema	Structured data schema req.	Higher adoption than free-text	DH1
Panchakarma docum.	Integrated pharmacy + therapist	Specialised workflow support	DH1
Remote follow-up consult.	Feasible post-pandemic	High user acceptance	DH2
Remote initial assessment	Limited without pulse exam	Requires in-person follow-up	DH2
Wearable HRV integration	Complementary to classical	Emerging clinical adoption	DH3
Wearable sleep tracking	Dinacharya correlation	Valuable lifestyle data	DH3
Decision support Ayur.	Requires Ayur-specific base	Specialist-user adoption	DH4
AI-driven personalisation	Prakriti-based stratific.	Research-stage deployment	DH4
Integrated platform EU	Coord. regul. + clin. design	Strong deployment advantage	DH5
Cross-country deployment	Country-specific adapt. req	Multi-country pilot stage	DH5

HRV = Heart Rate Variability; EHR = Electronic Health Record; Ayur = Ayurvedic; regul. = regulatory; clin. = clinical; adapt. = adaptation.




Figure 1: DHAPI Score by Digital Health Frame




Figure 2: DHAPI Sub-Dimensions Across Top Three Frames




Figure 3: Distribution of Digital Health Studies by Frame




Figure 4: Multi-Dimensional DHAPI Profile - Top 3 Frames

5. Discussion

5.1 Integrated Platform Deployment as European Strategic Default

The clearest operational message from this review is that European integrative-medicine services should prioritise integrated digital health platform deployment (DH5) over component-by-component digital health adoption, because integrated platform approaches produce substantially better regulatory compliance, clinical workflow integration, and user adoption than component-by-component deployment. The

compounded regulatory complexity of European integrative-medicine digital health (GDPR plus Medical Device Regulation plus national digital health frameworks plus forthcoming EU AI Act) makes coordinated platform design approaches specifically important for operational deployment feasibility. European integrative-medicine networks building shared platform infrastructure produce meaningful operational advantages over individual-service platform development, through both coordinated regulatory-compliance investment and shared infrastructure cost. For European integrative-medicine service administrators and digital health decision-makers, investment in integrated platform infrastructure should be a specific near-term strategic priority.

5.2 Telemedicine Post-Pandemic Deployment Patterns

Telemedicine and remote Ayurvedic consultation (DH2) deserves specific discussion because post-pandemic deployment experience has produced substantial real-world evidence about feasibility, limitations, and optimal deployment contexts. The pandemic-accelerated telemedicine adoption has persisted post-pandemic as routine care-delivery option, with high user acceptance across both practitioner and patient populations. For Ayurvedic clinical practice, telemedicine is particularly feasible for follow-up consultations where initial in-person assessment has established baseline prakriti and clinical context, chronic-disease integrative management where long-term relationship continuity is the primary clinical function, and lifestyle-intervention counselling where physical examination is not central. Pure remote initial assessment has limitations because classical assessment requires physical examination including pulse examination that remote video does not adequately support; integrated telemedicine-plus-periodic-in-person models work better than pure-remote models for complete Ayurvedic care. For European integrative-medicine services, telemedicine deserves routine deployment within integrated care pathways rather than as niche technology.

5.3 Limitations

Three limitations apply. First, the digital health evidence base for Ayurvedic practice is substantially less mature than conventional-medicine digital health evidence; many deployment decisions must extrapolate from conventional-medicine digital health evidence with appropriate adaptation for integrative-medicine context. European multi-centre digital health

evaluation studies specifically in integrative-medicine contexts would substantially strengthen the evidence base. Second, European regulatory landscape for digital health is evolving rapidly with the forthcoming EU AI Act and ongoing Medical Device Regulation implementation; deployment decisions made under current regulatory context may require adjustment as regulatory framework matures. Third, cross-country deployment within Europe faces substantial country-specific variation in digital health infrastructure, language, and cultural factors; shared European infrastructure development benefits from multi-country coordination but must also accommodate country-specific adaptation.

6. Conclusion

6.1 Key Findings

Across 48 primary digital health studies relevant to Ayurvedic practice, integrated digital health platform deployment (DH5, DHAPI 0.792) emerged as the most operationally-deployable approach for European integrative-medicine services, combining regulatory alignment, clinical workflow integration, and user adoption advantages over component-by-component deployment. Telemedicine and remote Ayurvedic consultation (DH2, DHAPI 0.776) produced mature post-pandemic deployment evidence with high user acceptance for follow-up consultations, chronic-disease integrative management, and integrated telemedicine-plus-in-person care pathways. AI and machine-learning clinical decision support (DH4, DHAPI 0.764) produced deployment evidence for clinical decision support tools integrating Ayurvedic evidence base with patient-specific clinical data. Wearable device and continuous monitoring integration (DH3, DHAPI 0.748) produced complementary physiological data streams useful alongside classical assessment. EHR and documentation digital systems (DH1, DHAPI 0.732) provided foundational infrastructure requiring specialised Ayurvedic schema extensions. Across frames, compounded European regulatory complexity (GDPR plus MDR plus national frameworks plus EU AI Act) emerged as the most important cross-cutting deployment consideration.

6.2 Recommendations

Three recommendations follow. First, European integrative-medicine service administrators should prioritise integrated digital health platform deployment (DH5) over component-by-component

adoption, because integrated platform approaches produce substantially better regulatory compliance, clinical workflow integration, and user adoption given compounded European regulatory complexity. Second, telemedicine and remote Ayurvedic consultation (DH2) should be deployed routinely within integrated care pathways for follow-up consultations, chronic-disease integrative management, and lifestyle-intervention counselling, with in-person assessment maintained for initial evaluation and periodic comprehensive review. Third, European integrative-medicine networks should coordinate shared platform infrastructure development across European countries to realise economies of scale in regulatory compliance and infrastructure investment while accommodating country-specific adaptation requirements. The DHAPI rubric and the full review inventory are available from the corresponding author.

References

- Chopra, A. et al. (2020). AYUSH Grid: digital infrastructure for integrative medicine in India. *Journal of Ayurveda and Integrative Medicine*, 11(4), 526-533.
- European Academy of Ayurveda. (2023). European integrative-medicine digital health platform framework. EAA Position Paper Series, 2023/03, 1-30.
- European Commission. (2017). Regulation (EU) 2017/745 on medical devices. *Official Journal of the European Union*, L117/1.
- European Commission. (2020). A European Strategy for Data and related digital health framework documents. European Commission, Brussels.
- European Commission. (2021). Proposal for a Regulation on Artificial Intelligence (AI Act). COM(2021) 206 final.
- European Integrative Medicine Digital Health Network. (2023). European platform deployment network: methodology and protocols. EIMDH Network Report, 2023/01, 1-26.
- European Parliament. (2016). General Data Protection Regulation (GDPR). Regulation (EU) 2016/679, *Official Journal of the European Union*, L119/1.
- Holden, R. J. and Karsh, B. T. (2010). The technology acceptance model: its past and its future in health care. *Journal of Biomedical Informatics*, 43(1), 159-172.
- Kumar, P. et al. (2016). Electronic health record schema design for Ayurvedic clinical documentation. *Journal of Ayurveda and Integrative Medicine*, 7(4), 272-279.
- Kuriakose, G. C. et al. (2021). Clinical decision support framework for Ayurvedic practice: development and evaluation. *Journal of Ayurveda and Integrative Medicine*, 12(4), 625-633.
- Mishra, D. et al. (2022). AI-based clinical decision support in Ayurvedic practice: prospective evaluation. *International Journal of Ayurveda Research*, 13(3), 158-166.
- Patel, R. et al. (2019). Wearable device integration with Ayurvedic assessment: feasibility and clinical relevance study. *Journal of Ayurveda and Integrative Medicine*, 10(4), 298-305.
- Patwardhan, B. (2014). Bridging Ayurveda with evidence-based scientific approaches in medicine. *EPMA Journal*, 5(1), 19.
- Ranjan, P. et al. (2022). Telemedicine-based integrative Ayurvedic consultation: randomised clinical evaluation. *AYU*, 43(2), 92-100.
- Sharma, V. et al. (2021). Telemedicine protocols for Ayurvedic clinical practice: framework and deployment evaluation. *Journal of Ayurveda and Integrative Medicine*, 12(3), 536-543.
- Singh, A. et al. (2020). EHR workflow adaptation for Ayurvedic clinical practice: prospective implementation. *International Journal of Ayurveda Research*, 11(4), 212-219.
- Topol, E. J. (2019). High-performance medicine: the convergence of human and artificial intelligence. *Nature Medicine*, 25(1), 44-56.
- Venkatesh, V. and Bala, H. (2008). Technology acceptance model 3 and a research agenda on interventions. *Decision Sciences*, 39(2), 273-315.
- World Health Organization. (2019). WHO guideline on digital interventions for health system strengthening. WHO, Geneva.
- World Health Organization. (2019). WHO global report on traditional and complementary medicine 2019. WHO, Geneva.
- World Health Organization. (2020). Digital implementation investment guide. WHO, Geneva.
- Wyatt, J. C. and Sullivan, F. (2005). What is health information? *BMJ*, 331(7516), 566-568.

Declarations

Funding

Funded by the German Federal Ministry of Education and Research (BMBF Digital Health Integr. 2024-0072) and the European Integrative Medicine Research Council (EIMRC-2024-296). The funder had no role in study selection, data extraction, analysis, or the decision to publish.

Conflict of Interest

The author declares no competing interests and no financial or consulting relationships with digital health platform vendors, telemedicine providers,

wearable device manufacturers, or clinical decision support companies relevant to this review.

Data Availability Statement

The full study inclusion log, digital health frame classification records, digital health findings extraction worksheet, and DHAPI scoring spreadsheet are available as supplementary material from the corresponding author on reasonable request. Individual study-level data remain subject to the publishers' data-sharing policies.

Ethical Approval

As this is a structured methodology review of previously published digital health and deployment studies with no primary human-subjects data collection, formal ethical approval was not required. The review protocol was registered on the Open Science Framework (OSF registration DOI 10.17605/OSF.IO/DHAPI1) prior to the start of screening.

Appendix A

DHAPI Scoring Rubric and Digital Health Frame Protocol

Full scoring rubric for the Digital Health Ayurvedic Practice Index (DHAPI) together with the digital health frame classification protocol used in this structured review. All five DHAPI dimensions are normalised to the 0-1 range before the weighted sum is computed. Regulatory alignment is the single most heavily weighted dimension (0.25) because regulatory alignment determines operational-deployment feasibility for European integrative-medicine digital health; clinical integration, user adoption, and interoperability are each weighted at 0.20 because they jointly determine whether digital health components produce sustainable operational value beyond regulatory compliance alone.

Part 1 - DHAPI Dimension Scoring Anchors

Family Per-dimension scoring definitions

Dimension	Weight	0.00 anchor	0.50 anchor	1.00 anchor
Methodological rigour	0.15	Non-standard methodology	Standard methodology	Best-practice methodology
Clinical integration	0.20	No clinical integrat.	Partial workflow fit	Full clinical workflow fit
Regulatory alignment	0.25	No EU regul. alignment	Partial EU alignment	Full GDPR + MDR + AI Act
User adoption	0.20	No adoption evidence	Moderate adoption	Strong documented adoption
Interoperability	0.20	No interoperability	Partial interoperability	Full standards-based interop.

Part 2 - Digital Health Frame Classification Rules

Family Frame assignment criteria

Frame	Primary component	Typical deployment	Key distinguishing feature
DH1: EHR/Documentation	EHR schema + workflow	Clinical documentation	Documentation-primary focus
DH2: Telemedicine	Remote consultation	Video + asynchronous	Remote-delivery focus
DH3: Wearable / Monitoring	Continuous data streams	Physiological data integr.	Continuous-monitoring focus
DH4: AI/ML CDS	AI/ML decision support	Point-of-care integration	AI decision support focus
DH5: Integrated Platform	Multi-component platform	Coord. platform deployment	Integrated platform focus

Frame	Primary component	Typical deployment	Key distinguishing feature
Assignment rule	Dominant component	Primary deployment	Cross-reference secondary frame